		Approved For Release 2003/12/09 : CIA-RDP33-02415A000300090119-7	
	Ř.	TOP SECRET CHAL-0413 Copy 6 of 14 Page 1 of 5 20 November 1958	
		20 November 1970	
		STAFF MEETING MINUTES - 18 November 1958	
i		Personnel Present: Mr. Bissell. Col. Burke	25X1
25X1			
25X1		Mr. Cunningham	
		•	
	X		25X1
	* ·		
	;		
1			
	* *		
	· ·		
	÷ .		
25X1		2. Concerning a operation, Col. Beerli had recently discussed the security problems he had	25X1
25X1		encountered in the and the lengths to which he had gone to hold down this knowledge within his own unit. A general discussion	
		on this subject included the thoughts that certain Air Force airlift messages should be encrypted and that pre-mission knowledge should	. 0
A		be strictly limited within this Headquarters and within the intelli- gence community. Mr. Bissell commented that concerning pre-mission	
	•	knowledge within the community, the policy was quite clear but the	

NRO review(s) completed.

TOP SECRET

Approved For Release 20012/08:04-80133-02415A000300090119-7

25X1

25X1

25X1

practice was not, especially among requirements people. He asked Col. Burke to check this point and in general to monitor the control of knowledge of staging. Concerning the availability of Lockheed crews for operations in the immediate future, said there would be three crews available to Detachment B in December, four on 1 January and five on 15 January.	
1) January.	25X1
4. Test Status Board -	
b. Dual Oxygen System - LAC is still working on a completely automatic dual system. felt that possibly more formal emphasis should be placed on this subject since it is one of long standing for which a firm proposal has not yet been submitted by LAC. Mr. Bissell was of the opinion that LAC is probably doing everything possible, since oxygen is an especially sensitive subject with Kelly	25X1
Johnson. Mr. Bissell asked Col. Burke and to get a thorough and up-to-date reading of LAC's progress and	25X1
opinions. It was brought out that who is intimately familiar with this subject, was out of town and might be able to give a clear indication of dual system status as a result of his recent trip to Edwards.	25X1

LAC is still using the dual regulator arrangement in their seatpacks.

There has been a suggestion by Col. Beerli to provide an emergency system using a separate oxygen supply located in the left map case. It proposes connecting into

CHAL-0413 Copy 6 of 14 Page 2 of 5 TOP SECRET
Approved For Release 2003/12/09 : CIA-RDP33-02415A000300090119-7

the suit and breathing lines using "Y" fittings. In the event the aircraft oxygen pressure would drop to a certain value, a check-valve in the alternate line would automatically open, permitting oxygen to flow in from the emergency source.

And LAC have stated that this proposal is dangerous. The exact reason for this position is not known at this time, but will be investigated.

25X1

At the instigation of L/Col. Sid Brewer, LAC is developing a low oxygen pressure indicator system using lights. This gives pilots an advance warning of possible trouble while there is still adequate pressure. The development of this system will be followed for possible use in our aircraft.

ACTION: Col. Burke,

25X1

.

25X1

25X1

said that he would circulate for staff comment a document entitled "Project CHALICE Oxygen System and Personal Equipment Program" which is an SOP for the procurement, allocation, inspection and utilization of the oxygen seatpack kits and associated personal equipment.

CHAL-0413 Copy 6 of 14 Page 3 of 5

Approved For Releate 2038 209 RELA-RDP38-02415A000300090119-7

25X1	6. Directive - A counter draft of a directive has been prepared by Points of difference between the Development & Procurement Section and the Ops Section are to be ironed out between them under the chairmanship of Col. Burke.	25X′
	ACTION: Col. Burke	
	7. Staff Directive - The preparation of a staff directive logically should await the completion of the directive. The staff directive will include all DPS responsibilities and will not be limited to Development & Procurement activities.	25X
Î	8. CORONA Clearances - stated that CORONA clearances in ARDC had recently been reduced to a total of four. In this connection, Mr. Bissell wished to have the relationship of Col. Norman Appold explained to BMD with an eye to focusing our relationships in ARDC on General Flickinger and Col. Appold, both of whom have been most helpful in the past. Mr. Bissell also desired that Col. Geary be brought up to date on this relationship.	25X ²
25X1	ACTION:	
. •		25X1
(i)		
	10. SA/PD Work Load - Mr. Bissell commented that as a result	

- 10. SA/PD Work Load Mr. Bissell commented that as a result of some anticipated changes in the subjects to which he would be required to devote his time, he wished to request that certain practices be adhered to within the DPS staff, as follows:
 - a. Paper work calling for a signature of the SA/PD where such signature is not really meaningful should be eliminated.
 - b. Security matters which do not require the personal action of the SA/PD should not be referred to him.

CHAL-0413 Copy Gof 14 Page 4 of 5

Approved For Release 2003/12/09 CIA-RDP 3-02415 A000300090119-7

c. Matters requiring the consideration or approval of the SA/PD should be funneled to him through Col. Burke.

d. Greater reliance should be placed by the various DPS sections on the experience and knowledge of each other.

25X1

APPROVED

25X1

THE STATE OF THE S

WILLIAM BURKE
Colonel USAF
Deputy Director, DPS/DCI

Distribution:

1 - SA/PD/DCI

2 - DPS/DCI Dep Director

3 - PS/DCI Mr. Reber

4 - DPS/DCI D & P

5 - DPS/DCI Admin

6 - DPS/DCI Cover

7 - DPS/DCI Personnel

8 - DPS/DCI Security

9 - DPS/DCI Contracting

10 - DPS/DCI Materiel

11 - DPS/DCI Operations

12 - DPS/DCI Commo

13 - DPS/DCI Finance

14 - DPS/DCI Admin Chrono

25X1

DPS/DCI:

CHAL-0413 Copy 6 of 14 Page 5 of 5